


| Form PTO-1449 | | Docket No. GZ 2103.00 | | Appl. No. 09/922,405 | | | |
|---|-------------|--|--------------|---|-------|----------|---------------------------------|
| INFORMATION DISCLOSURE STATEMENT | | Applicant(s) <div style="text-align: right;">Charles A. NICOLETTE</div> | | | | | |
| (use several sheets if necessary) | | Filing Date: 08/3/2001 | | Group Art Unit: 1642 | | | |
| <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>U.S. PATENT DOCUMENTS</p> </div> <div style="text-align: right;"> <p style="transform: rotate(-45deg); font-weight: bold;">RECEIVED</p> <p style="transform: rotate(-45deg); font-weight: bold;">JAN 17 2002</p> <p style="transform: rotate(-45deg); font-weight: bold;">TECH CENTER 1600/2900</p> </div> </div> | | | | | | | |
| Examiner Initials | Ref. No. | Date | Document No. | Name | Class | Subclass | Filing Date (if appropriate) |
| | 1. | 07/28/87 | 4,683,195 | Mullis et al. | | | |
| | 2. | 07/28/87 | 4,683,202 | Mullis | | | |
| | 3. | 06/28/88 | 4,754,065 | Levenson et al. | | | |
| | 4. | 01/24/89 | 4,800,159 | Mullis et al. | | | |
| | 5. | 08/08/95 | 5,440,013 | Kahn | | | |
| | 6. | 11/17/98 | 5,837,249 | Heber-Katz et al. | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| Examiner Initials | Ref. No. | Date | Document No. | Name | Class | Subclass | Translation YES NO |
| | 7. | 08/01/96 | WO 96/23060 | The Government of the United States of America | | | |
| OTHER DOCUMENTS | | | | | | | |
| (including author, title, date, pertinent pages, etc.) | | | | | | | |
| Examiner Initials | Ref. No. | Title | | | | | |
| | 8. | Altman, J.D. et al., "Phenotypic analysis of antigen-specific T lymphocytes" (1996) <i>Science</i> 274 (5284):94-96 | | | | | |
| | 9. | Bertoni, R. et al., "Human class I supertypes and CTL repertoires extend to chimpanzees" (1998) <i>J. Immunol.</i> 161 :4447-4455 | | | | | |
| | 10. | Boczkowski, D. et al., "Dendritic cells pulsed with RNA are potent antigen-presenting cells in vitro and in vivo" (1996) <i>J. Exp. Med.</i> 184 :465-472 | | | | | |
| | 11. | Bordignon, C. et al., "Retroviral vector-mediated high-efficiency expression of adenosine deaminase (ADA) in hematopoietic long-term cultures of ADA-deficient marrow cells" (1989) <i>PNAS USA</i> 86 :6748-6752 | | | | | |
| | 12. | Carter, B.J., "Adeno-associated virus vectors" (1992) <i>Curr. Op. Biotechnol.</i> 3 :533-539 | | | | | |
| | 13. | Caruso, A. et al., "Flow cytometric analysis of activation markers on stimulated T cells and their correlation with cell proliferation" (1997) <i>Cytometry</i> 27 :71-76 | | | | | |
| | 14. | Correll, P.H. et al., "Production of human glucocerebrosidase in mice after retroviral gene transfer into multipotential hematopoietic progenitor cells" (1989) <i>PNAS USA</i> 86 :8912-8916 | | | | | |
| | 15. | Coulie, P.G., "Human tumour antigens recognized by T cells: new perspectives for anti-cancer vaccines?" (1997) <i>Molec. Med. Today</i> 3 :261-268 | | | | | |
| | 16. | Culver, K. et al., "Lymphocytes as cellular vehicles for gene therapy in mouse and man" (1991) <i>PNAS USA</i> 88 :3155-3159 | | | | | |
| | 17. | Dharanipragada, R. et al., "The absolute configuration of an intermediate in the asymmetric synthesis of unusual amino acids" (1992) <i>Acta. Cryst.</i> C48 :1239-1241 | | | | | |
| EXAMINER: | | | | DATE CONSIDERED: | | | |
| EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant. | | | | | | | |

| | | | |
|-------------------------------------|---|--------------------------------------|----------------------|
| Form PTO-1449 | | Docket No. GZ 2103.00 | Appl. No. 09/922,465 |
| INFORMATION DISCLOSURE STATEMENT | | Applicant(s) Charles A. NICOLETTE | |
| (use several sheets if necessary) | | Filing Date: 08/3/2001 | Group Art Unit: 1642 |
| 18. | Dharanipragada, R. et al., "Synthetic linear and cyclic glucagon antagonists" (1993) <i>Int. J. Peptide Protein Res.</i> 42(1) :68-77 | | |
| 19. | DiMaio, J. et al., "Synthesis of chiral piperazin-2-ones as model peptidomimetics" (1989) <i>J. Chem. Soc. Perkin Trans.</i> 1(9) :1687-1689 | | |
| 20. | Feltkamp, M.C.W. et al., "Competition inhibition of cytotoxic T-lymphocyte (CTL) lysis, a more sensitive method to identify candidate CTL epitopes than induction of antibody-detected MHC class I stabilization" (1995) <i>Immunol. Lett.</i> 47 :1-8 | | |
| 21. | Ferguson, et al. "Cell-surface anchoring of proteins via glycosyl-phosphatidylinositol structures" (1988) <i>Ann. Rev. Biochem.</i> 57 :285-320 | | |
| 22. | Fujihashi, K. et al., "Cytokine-specific ELISPOT assay single cell analysis of IL-2, IL-4 and IL-6 producing cells" (1993) <i>J. Immunol. Meth.</i> 160 :181-189 | | |
| 23. | Garvey D.S. et al., "3,4-disubstituted γ -lactam rings as conformationally constrained mimics of peptide derivatives containing aspartic acid or norleucine" (1990) <i>J. Org. Chem.</i> 55(3) :936-940 | | |
| 24. | Hruby, V.J., "Conformational restrictions of biologically active peptides via amino acid side chain groups" (1982) <i>Life Sciences</i> 31 :189-199 | | |
| 25. | Hruby, V.J. et al. "Emerging approaches in the molecular design of receptor-selective peptide ligands: conformational, topographical and dynamic considerations" (1990) <i>Biochem J.</i> 268 :249-262 | | |
| 26. | Isakov, N. et al., "ZAP-70 binding specificity to T cell receptor tyrosine-based activation motifs: The tandem SH2 domains of ZAP-70 bind distinct tyrosine-based activation motifs with varying affinity" (1995) <i>J. Exp. Med.</i> 181 :375-380 | | |
| 27. | Jones, R.C.F. and G.J. Ward, "Amide bond isosteres: imidazolines in pseudopeptide chemistry" (1988) <i>Tetrahedron Lett.</i> 29(31) :3853-3856 | | |
| 28. | Kahn, M. and S. Bertenshaw, "The incorporation of β -turn prosthetic units into merrifield solid phase peptide synthesis" (1989) <i>Tetrahedron Lett.</i> 30(18) :2317-2320 | | |
| 29. | Karlsson, S. et al., "Stable gene transfer and tissue-specific expression of a human globin gene using adenoviral vectors" (1986) <i>The EMBO J.</i> 5(9) :2377-2385 | | |
| 30. | Kawakami, Y. et al., "Cloning of the gene coding for a shared human melanoma antigen recognized by autologous T cells infiltrating into tumor" (1994) <i>PNAS USA</i> 91(9) :3515-3519 | | |
| 31. | Kazmierski, W. M. and V.J. Hruby, "Asymmetric synthesis of topographically constrained amino acids: synthesis of the optically pure isomers of α,β -dimethyl-phenylalanine and α,β -dimethyl-1,2,3,4-tetrahydroisoquinoline-3-carboxylic acid" (1991) <i>Tetrahedron Lett.</i> 32(41) :5769-5772 | | |
| 32. | Kazmierski, W.M. et al., "Topographic design of peptide neurotransmitters and hormones on stable backbone templates: relation of conformation and dynamics to bioactivity" (1991) <i>J. Am. Chem. Soc.</i> 113 :2275-2283 | | |
| 33. | Kemp, D.S. and P.E. McNamara, "Conformationally restricted cyclic nonapeptides derived from L-cysteine and LL-3-amino-2-piperidone-6-carboxylic acid (LL-Acp), a potent β -turn-inducing dipeptide analogue" (1985) <i>J. Org. Chem.</i> 50 :5834-5838 | | |
| 34. | Kemp, D.S. and B.R. Bowen, "Conformational analysis of peptide-functionalized diacylaminoepindolidiones ^1H NMR evidence for β -sheet formation" (1988) <i>Tetrahedron Lett.</i> 29(40) :5081-5082 | | |
| 35. | Kemp, D.S. and W.E. Stites, "A convenient preparation of derivatives of 3(S)-amino-10(R)-carboxy-1, 6-diaza-cyclodeca-2, 7-dione The dilactam of L- α , γ -diaminobutyric acid and D-glutamic acid: A β -turn template" (1988) <i>Tetrahedron Lett.</i> 29(40) :5057-5060 | | |

EXAMINER:

DATE CONSIDERED:


EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

| | | | |
|-----------------------------------|---|--------------------------------------|----------------------|
| Form PTO-1449 | | Docket No. GZ 2103.00 | Appl. No. 09/922,405 |
| INFORMATION DISCLOSURE STATEMENT | | Applicant(s) Charles A. NICOLETTE | |
| (use several sheets if necessary) | | Filing Date: 08/3/2001 | Group Art Unit: 1642 |
| 36. | Kemp, D.S. and T.P. Curran, "(2, 5S, 8S, 11S)-1-acetyl-1, 4-diaza-3-keto-5-carboxy-10-thia-tricyclo-[2.8.0 ^{4,8}]-ridecane, 1 the preferred conformation of 1 (1= α temp-OH) and its peptide conjugates α temp-L-(Ala) _n -OR (n=1 to 4) and α -temp -L-Ala-L-Phe-Lys(ϵ Boc)-L-Lys(ϵ -Boc)-NHMe studies of templates for α -helix formation" (1988) <i>Tetrahedron Lett.</i> 29(39) :4935-4938 | | |
| 37. | Kemp, D.S. and J.S. Carter, "Amino acid derivatives that stabilize secondary structures of polypeptides. 4. Practical synthesis of 4-(alkylamino)-3-cyano-6-azabicyclo[3.2.1]oct-3-enes (ben derivatives) as γ -turn templates" (1989) <i>J. Org. Chem.</i> 54 :109-115 | | |
| 38. | McGrory, W.J. et al., "Short communications: A simple technique for the rescue of early region I mutation into infectious human adenovirus type 5" (1988) <i>Virology</i> 163 :614-617 | | |
| 39. | Merrifield, R.B., "New approaches to the chemical synthesis of peptides" (1967) <i>Recent Progress in Hormone Res.</i> 23 :451-482 | | |
| 40. | Miyake, A. et al., "Synthesis and angiotensin converting enzyme inhibitory activity of 1,2,3,4-tetrahydroisoquinoline-3-carboxylic acid derivatives" (1984) <i>J. Takeda Res. Labs.</i> 43(3/4) :53-76 | | |
| 41. | Mosier, D.E. et al., "Resistance to human immunodeficiency virus 1 infection of SCID mice reconstituted with peripheral blood leukocytes from donors vaccinated with vaccinia gp160 and recombinant gp160" (1993) <i>PNAS. USA</i> 90 :2443-2447 | | |
| 42. | Muzyczka, "Use of adeno-associated virus as a general transduction vector for mammalian cells" (1992) <i>Curr. Top. Microbiol. Immunol.</i> 158 :97-129 | | |
| 43. | Nagai, U. and K. Sato, "Synthesis of a bicyclic dipeptide with the shape of β -turn central part" (1985) <i>Tetrahedron Lett.</i> 26(5) :647-650 | | |
| 44. | Nair, S. et al., "Soluble proteins delivered to dendritic cells via pH-sensitive liposomes induce primary cytotoxic T lymphocyte responses in vitro" (1992) <i>J. Exp. Med.</i> 175 :609-612 | | |
| 45. | Olson, G.L. et al., "Design and synthesis of a protein β -turn mimetic" (1990) <i>J. Am. Chem. Soc.</i> 112 :323-333 | | |
| 46. | Paglia, P. et al., "Murine dendritic cells loaded in vitro with soluble protein prime cytotoxic T lymphocytes against tumor antigen in vivo" (1996) <i>J. Exp. Med.</i> 183 :317-322 | | |
| 47. | Pardoll, D.M., "Cancer vaccines" (1998) <i>Nature Med.</i> 4(5 Suppl.) :525-531 | | |
| 48. | Parker, et al., "Sequence motifs important for peptide binding to the human MHC class I molecule, HLA-A2" (1992) <i>J. Immunol.</i> 149(11) :3580-3587 | | |
| 49. | Parker, K.C. et al. (1995) "Peptide Binding to MHC Class I Molecules: Implications for Antigenic Peptide Prediction" <i>Immunol. Res.</i> 14 :34-57 | | |
| 50. | Parkhurst, M.R. et al., "Improved induction of melanoma-reactive CTL with peptides from the melanoma antigen gp100 modified at HLA-A*0201-binding residues" (1996) <i>J. Immunol.</i> 157 :2539-2548 | | |
| 51. | al-Ramadi, B.K. et al., "Lack of strict correlation of functional sensitization with the apparent affinity of MHC/peptide complexes for the TCR" (1992) <i>J. Immunol.</i> 155(2) :662-673 | | |
| 52. | Rill, D.R. et al., "An approach for the analysis of relapse and marrow reconstitution after autologous marrow transplantation using retrovirus-mediated gene transfer" (1992) <i>Blood</i> 79(10) :2694-2700 | | |
| 53. | Rouse, R.J.D. et al., "Induction in vitro of primary cytotoxic T-lymphocyte responses with DNA encoding herpes simplex virus proteins" (1994) <i>J. Virol.</i> 68(9) :5685-5689 | | |
| 54. | Salazar, E. et al., "Agonist peptide from a cytotoxic T-lymphocyte epitope of human carcinoembryonic antigen stimulates production of TC1-type cytokines and increases tyrosine phosphorylation more efficiently than cognate peptide" (2000) <i>Int. J. Cancer</i> 85 :829-838 | | |
| 55. | Samanen, J. et al., "5,5-dimethylthiazolidine-4-carboxylic acid (DTC) as a proline analog with restricted | | |

EXAMINER:

DATE CONSIDERED:

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

| | | | |
|--|---|---|----------------------|
| Form PTO-1449 | | Docket No. GZ 2103.00 | Appl. No. 09/922,405 |
| INFORMATION DISCLOSURE STATEMENT | | Applicant(s) Charles A. NICOLETTE | |
| (use several sheets if necessary) | | Filing Date: 08/3/2001 | Group Art Unit: 1642 |
|  | | conformation" (1990) <i>Int. J. Peptide Protein Res.</i> 35 :501-509 | |
| | | Schlesinger, S. and T.W. Dubensky, Jr., "Alphavirus vectors for gene expression and vaccines" (1999) <i>Curr Opin Biotechnol.</i> 10 (5):434-439 | |
| | | Sette, A. et al., "The relationship between class I binding affinity and immunogenicity of potential cytotoxic T cell epitopes" (1994) <i>J. Immunol.</i> 153 (12):5586-5592 | |
| | | Shirai, M. et al., "CTL responses of HLA-A2.1-transgenic mice specific for hepatitis C viral peptides predict epitopes for CTL of humans carrying HLA-A2.1" (1995) <i>J. Immunol.</i> 154 :2733-2742 | |
| | 59. | Stuber, G. et al., "HLA-A0201 and HLA-B7 binding peptides in the EBV-encoded EBNA-1, EBNA-2 and BZLF-1 proteins detected in the MHC class 1 stabilization assay. Low proportion of binding motifs for several HLA class 1 alleles in EBNA-1" (1995) <i>Int. Immunol.</i> 7 (4):653-663 | |
| | 60. | Tan, L. et al., "An improved assembly assay for peptide binding to HLA-B*2705 and H-2K*class I MHC molecules" (1997) <i>J. Immunol. Meth.</i> 209 (1):25-36 | |
| | 61. | Tanguay, S. and J.J. Killian, "Direct comparison of ELISPOT and ELISA-based assays for detection of individual cytokine-secreting cells" (1994) <i>Lymphokine Cytokine Res.</i> 13 (4):259-263 | |
| | 62. | Valmori, D. et al., "Induction of potent antitumor CTL responses by recombinant vaccinia encoding a melan-A peptide analogue" (2000) <i>J. Immunol.</i> 164 (2):1125-1131 | |
| | 63. | van der Burg, S.H. et al., "Immunogenicity of peptides bound to MHC class I molecules depends on the MHC-peptide complex stability" (1996) <i>J. Immunol.</i> 156 :3308-3314 | |
| | 64. | Ware, C.F. et al., "Recognition of HLA-A2 mutant and variant target cells by an HLA-A2 allospecific human cytotoxic T lymphocyte line" (1983) <i>J. Immunol.</i> 131 (3):1312-1317 | |
| | 65. | Wilchek, M. and E.A. Bayer, "The avidin-biotin complex in bioanalytical applications" (1988) <i>Anal. Biochem.</i> 171 :1-32 | |
| | 66. | Ying, H. et al., "Cancer therapy using a self-replicating RNA vaccine" (1999) <i>Nat. Med.</i> 5 (7):823-827 | |
| 67. | Zabrocki, J. et al., "Conformational mimicry. 1. 1,5-disubstituted tetrazole ring as a surrogate for the cis amide bond" (1988) <i>J. Am. Chem. Sci.</i> 110 :5875-5880 | | |
| 68. | Zechel, C. et al., "Synthetic glucagon antagonists and partial agonists" (1991) <i>Int. J. Pep. Protein Res.</i> 38 (2):131-138 | | |
| 69. | Zuegel, et al., "Termination of peripheral tolerance to a T cell epitope by heteroclitic antigen analogues" (1998) <i>J. Immunol.</i> 161 (4):1705-1709 | | |
| 70. | Zweerink, H.J. et al., "Presentation of endogenous peptides to MHC class I-restricted cytotoxic T lymphocytes in transport deletion mutant T2 cells" (1993) <i>J. Immunol.</i> 150 (5):1763-1771 | | |

RECEIVED

JAN 17 2002

TECH CENTER 1600/2900

| | |
|--|------------------|
| EXAMINER: | DATE CONSIDERED: |
| EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant. | |